

# BIDDING DOCUMENTS

**PROJECT:** SLURRY SEAL 2023

**PROJECT #:** W66132

**BID OPENING:** MAY 17, 2023

**COMPLETION DATE:** SEPTEMBER 1, 2023

**CONTRACTING AGENCY:**



**ROAD  
DEPARTMENT**

**61150 SE 27<sup>TH</sup> STREET  
BEND, OREGON 97702  
PHONE: (541) 388-6581  
FAX: (541) 388-2719  
WEB: [www.deschutescounty.gov/road](http://www.deschutescounty.gov/road)**



**ROAD  
DEPARTMENT**

**BIDDING DOCUMENTS**

**SLURRY SEAL 2023**

**TABLE OF CONTENTS**

INVITATION TO BID.....	A1
INFORMATION FOR BIDDERS.....	A2
BID PROPOSAL FORM.....	B1
SCHEDULE OF BID ITEMS.....	B3
SUBCONTRACTOR DISCLOSURE FORM.....	B4
BID GUARANTY FORM.....	B5
CONTRACT AGREEMENT FORM (FOR INFORMATION ONLY).....	C1
PERFORMANCE BOND FORM (FOR INFORMATION ONLY).....	C3
PAYMENT BOND FORM (FOR INFORMATION ONLY).....	C5
SPECIAL PROVISIONS.....	SP1
PROJECT PLANS.....	P1

**DESCRIPTION OF PARTS OF BIDDING DOCUMENTS WHICH ARE NOT BOUND HEREIN:**

OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION, 2021

The Specification that is applicable to the Work on this Project is the 2021 edition of the "Oregon Standard Specifications for Construction". All number references in these Special Provisions shall be understood to refer to the Sections and subsections of the Standard Specifications bearing like numbers and to Sections and subsections contained in these Special Provisions in their entirety.

**DESCHUTES COUNTY, OREGON  
ROAD DEPARTMENT  
INVITATION TO BID  
SLURRY SEAL 2023**

Sealed bids will be received at the Deschutes County Road Department, 61150 SE 27<sup>th</sup> Street, Bend, Oregon 97702, until but not after, **2:00 p.m. on May 17, 2023**, at which time and place all bids for the above-entitled public works project will be publicly opened and read aloud.

The Class of Work of this Project is Asphalt Concrete Paving and Oiling. The value for this Contract is estimated to be between \$425,000 and \$450,000. The Work will consist of, but not be limited to, the following:

- Install and maintain temporary traffic control.
- Construct latex-modified emulsified asphalt slurry seal wearing surface.
- Perform additional and incidental work as called for by the specifications and plans.

Specifications and other bid documents may be inspected and obtained from the Deschutes County Bids and RFPs website at <https://www.deschutescounty.gov/rfps>. Inquiries pertaining to these specifications shall be directed to Blaine Wruck, Transportation Engineer, in writing at [Blaine.Wruck@deschutescounty.gov](mailto:Blaine.Wruck@deschutescounty.gov) or the address above.

Bids shall be made on the forms furnished by the County, including a Bid Bond or Cashiers Check for the minimum amount of 10% of the Bid Price, addressed and mailed or delivered to Chris Doty, Department Director, 61150 SE 27<sup>th</sup> Street, Bend, Oregon 97702 in a sealed envelope plainly marked "BID FOR SLURRY SEAL 2023" and the name and address of the bidder.

Bidders must submit a Subcontractor Disclosure Statement. The subcontractor disclosure statement may be submitted in the sealed bid prior to 2:00 p.m. on May 17, 2023 or in a separate sealed envelope marked "SUBCONTRACTOR DISCLOSURE STATEMENT – SLURRY SEAL 2023" prior to 4:00 p.m. on May 17, 2023 at the above location.

Because the work called for under this contract is for a public works project subject to state prevailing rates of wage under ORS 279C.800 to 279C.870, the County will not receive or consider a bid unless the bid contains a statement by the bidder that the bidder will comply with ORS 279C.838 and ORS 279C.840. Each bid must contain a statement as to whether the bidder is a resident bidder, as defined in ORS 279A.120. Vendors shall use recyclable and/or sustainably sourced products to the maximum extent economically feasible in the performance of the contract work set forth in this document.

Bidders shall be prequalified with the State of Oregon for the Class of Work stated above in accordance with ORS 279C.430 through 279C.450 and Deschutes County Code 12.52.020. The successful bidders and subcontractors providing labor shall maintain a qualified drug testing program for the duration of the contract. Bidders shall be licensed with the Construction Contractor's Board. Contractors and subcontractors need not be licensed under ORS 468A.720.

Deschutes County may reject any bid not in compliance with all prescribed bidding procedures and requirements, and may reject for good cause any or all bids upon a finding of Deschutes County it is in the public interest to do so. The protest period for this procurement is seven (7) calendar days.

CHRIS DOTY  
Road Department Director

PUBLISHED:  
DAILY JOURNAL OF COMMERCE: May 3, 2023  
THE BEND BULLETIN: May 3, 2023

## INFORMATION FOR BIDDERS

1. **General Description of Project.** A general description of the Work to be performed is contained in the Invitation to Bid. The scope is indicated in the applicable parts of these Solicitation Documents.
2. **Solicitation Documents.** The Solicitation Documents under which it is proposed to execute the Work consist of the material bound herewith. These solicitation documents are intended to be mutually complementary and to provide all details reasonably required for the execution of the proposed work.
3. **Form of Proposals.** All proposals must be submitted on the forms furnished. Subcontractor disclosure form may be submitted with the bid or in a separate envelope.
4. **Substitutions.** Materials and/or products called for in the specifications are named in order to establish a standard of quality design. Manufacturers or suppliers of products similar to those specified may submit bids on the work providing requests for approval of substitution materials are made at least seven (7) calendar days prior to the bid opening. Adequate information on which to base approval or disapproval must be furnished to the Road Department Director or his representative and the Road Department Director shall be the sole judge of any request. When the Road Department Director approves a substitution, it is with the understanding that the Contractor guarantees the substituted article or materials to be equal or better than the specified.
5. **Preparation of Proposals.** All blank spaces in the proposal form must be filled in, in ink, or typed, in both words and figures where required. No changes shall be made in phraseology of the forms. Written amount shall govern in cases of discrepancy between the amount stated in writing and amount stated in figures.

Any proposal shall be deemed informal which contains omissions, erasures, alterations, or additions of any kind, or prices uncalled for, or which, in any manner shall fail to conform to the conditions of the published invitation to bidders.

The bidder shall sign his/her proposal in the blank space provided therefore. Proposals made by corporations or partnerships shall contain names and addresses of the principal officers or partners therein. If a corporation makes a proposal, it must be signed by one of the principal officers thereof, and the corporate seal affixed.

If made by a partnership, it must be signed by one of the partners, clearly indicating that he is signing as a partner of the firm. In the case of a proposal made by a joint venture, each of the joint venturers must sign the proposal in his personal capacity.

The wording of the proposal shall not be changed. Any additions, conditions, limitations or provisions inserted by the bidder will render the proposal irregular and may cause its rejection.

6. **Submission of Proposals.** All proposals must be submitted in the time and place and in the manner prescribed in the invitation to bid. Proposals must be made on the prescribed proposal forms furnished. Each proposal must be submitted in a sealed envelope, so marked as to indicate its contents without being opened. If the proposal is submitted by mail, the sealed envelope containing the bid must be enclosed in a separate envelope plainly addressed for mailing to conformance with instructions in the Invitation to Bid.

A responsive bid proposal must include the following completed items:

- Bid Proposal Form
- Schedule of Bid Items
- Bid Guaranty Form

7. **Modification or Withdrawal of Proposal.** Any bidder may modify his bid by written or telegraphic communication at any time prior to the scheduled closing time for receipt of bids, provided such communication is received by the County prior to the closing time, and provided further that a written confirmation of a telegraphic modification over the signature of the bidder was mailed prior to the closing time. If written confirmation of a telegraphic communication is not received within at least two calendar days of the closing time, no consideration will be given to the modification. The written or telegraphic communication should not reveal the bid price, but should state the addition or subtraction or other modification so that the County will not know the final prices or terms until the sealed bid is opened.

Proposals may be withdrawn prior to the scheduled time for the opening of the proposals either by telegraphic or written request, or in person. No proposal may be withdrawn after the time scheduled for opening of proposals, unless the County has failed to comply with the time limits applicable to award of the Contract.

8. **Disclosure of First Tier Subcontractors.** Bidders are required to disclose information about certain first-tier subcontractors (see ORS 279C.370). Specifically, when the contract amount of a first-tier subcontractor furnishing labor or labor and materials would be greater than or equal to: (i) 5% of the project Bid, but at least \$15,000; or (ii) \$350,000 regardless of the percentage, the Bidder must disclose the following information about that subcontract either in its Bid submission, or within two hours after Bid Closing:

(A) The subcontractor's name;

(B) The category of Work that the subcontractor would be performing, and

(C) The dollar value of the subcontract.

If the Bidder will not be using any subcontractors that are subject to the above disclosure requirements, the Bidder is required to indicate "NONE" on the accompanying form.

THE CONTRACTING AGENCY MUST REJECT A BID IF THE BIDDER FAILS TO SUBMIT THE DISCLOSURE FORM WITH THIS INFORMATION BY THE STATED DEADLINE (see OAR 137-049-0360).

A Bidder shall submit the disclosure form either in its Bid submission or within two working hours after Bid Closing in the manner specified by the Invitation to Bid.

Compliance with the disclosure and submittal requirements of ORS 279C.370 and OAR 137-049-0360 is a matter of Responsiveness. Bids that are submitted by Bid Closing, but for which the disclosure submittal has not been made by the specified deadline, are not Responsive and shall not be considered for Contract Award.

Substitution of affected first-tier subcontractors shall be made only in accordance with ORS 279C.585.

9. **Bid Security.** The Bid Bond or Cashier's Check will be for a minimum of ten per cent (10%) of the amount of the bid price. If a bidder bids more than one bid proposal, each proposal must be accompanied by separate bid security. The County reserves the right to retain the bid security of the three (3) lowest bidders until the successful bidder has signed and delivered the contract and furnished one hundred percent (100%) Performance and Payment Bonds.
10. **Conditions of Work.** Each bidder must inform himself of the conditions relating to the execution of the work, and make himself thoroughly familiar with all the Contract documents. Failure to do so will not relieve the successful bidder of his obligations to enter into a Contract and complete the contemplated work in strict accordance with the Contract documents. Each bidder must inform himself on all laws and statutes, both Federal and State, relative to the regular execution of the work, the employment of labor, protection of public health, access to the work and similar requirements.
11. **Award of Contract.** The award of the contract will be made by the County on the basis of the proposal which in its sole and absolute judgment will best serve the interest of the County.

County will issue a notice of intent to award contract. Any bidder may protest the notice of intent to award contract within seven (7) calendar days of the notice of intent to award contract.

The County reserves the right to accept or reject any or all proposals, and to waive any informalities and irregularities in said proposals.

12. **Payment and Retainage.** Payment for work performed will be made by the County as specified in the Special Provisions based upon the contract unit prices on the Bid Schedule.

Upon substantial completion of the contract, Contractor may request a partial release of retainage held by the County. The maximum amount of a request for a partial release retainage shall be the Contract amount less 150 percent of the estimated cost of the Contract yet to be performed through final completion. Upon final completion, Contractor may request release of the remaining retainage. Each request for the release of retainage shall be accompanied by the Consent of the contractor's surety.

13. **Performance Bond and Payment Bond.** The successful bidder shall file with the County, at the time of execution of the contract, a Performance Bond and a Payment Bond each of not less than the contract price on the forms furnished by the County. The Surety Company furnishing the required bonds shall have a sound financial standing and a record of service satisfactory to the County, and shall be authorized to do business in the State of Oregon. In lieu of a Performance Bond, the contractor may file cash, a Certified or Cashier's Check made payable to Deschutes County, Oregon. This money, check or certificate will be held by the County conditioned on and subject to the same provisions as set forth in the attached Performance Bond. ORS 279C.380 allows no flexibility for a cash deposit in lieu of a Payment Bond.
14. **Required Public Works Bond.** Before starting work on this project the Contractor and every subcontractor to which Contractor is a party for the performance of work under this contract must have a public works bond filed with the Construction Contractors Board, 700 Summer St. NE, Suite 300, Salem, Oregon 97309-5052, before starting work on the project, unless exempt under section 2 (7) or (8) of 2005 Oregon Laws Chapter 360 ORS 279C.836(7) or (8). Every subcontract to which Contractor is a party for the performance of work under this contract shall contain a provision requiring the subcontractor to have a public works bond filed with the Construction Contractors Board before starting work on this project, unless exempt under ORS 279C.836 (7) or (8) section 2 (7) or (8) of 2005 Oregon Laws Chapter 360.
15. **Failure to Execute Contract.** Upon failure by the successful bidder to enter into the Contract and furnish the necessary bond within fifteen (15) calendar days from the date the Contract documents are sent or otherwise conveyed to the Bidder, the bid bond accompanying the bid shall be forfeited, the proceeds paid to the County, and the award withdrawn. The award may then be made to the next lowest responsible bidder, or all bids rejected and the work is re-advertised.
16. **Disclaimer of Responsibility.** Neither the County nor the Road Department Director will be responsible for oral interpretations. Should a bidder find discrepancies in, or omissions from the drawings, specifications, or other pre-bid documents, or be in doubt as to their meaning, he shall notify the County at least seven (7) calendar working days prior to the bid opening date. Any and all such interpretations, any supplemental instructions or approval of manufacturer's materials to be substituted will be made only in the form of written addenda to the specifications, which, if issued, will be hand delivered or sent by regular mail, email and fax to all prospective bidders receiving a set of such documents, not later than two (2) calendar days prior to the date fixed for the opening of bids. Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his bid as submitted. All addenda so issued are to be covered in the bid for such addenda to become part of the Agreement.
17. **Permits and Licenses.** The successful bidder shall be required to have or obtain, at his expense, any and all permits and licenses required by Deschutes County, any City within the County, and the State of Oregon, pertaining to the service he proposes to furnish. Licensing shall include

without limitation registration with Construction Contractors Board and in the case of professional engineers and architects proof of current licensing with the appropriate State licensing board.

18. **Minimum Requirements of Bid.** The following minimum requirements as to the form and manner of submitting bids must be strictly observed; variance from these requirements will result in rejection of the bid as unresponsive.
- a. Each Bid must be submitted on forms furnished by the County. The completed forms required for a bid to be considered responsive, which are included herein, are listed below:
    - Bid Proposal Form
    - Schedule of Bid Items
    - First-Tier Subcontractor Disclosure Form
    - Bid Bond
    - Signed Addenda (if issued)
  - b. Each Bid must be signed by the bidder.
  - c. Bid security, in the required form and amount, must accompany each bid.
  - d. Each blank in the proposal must be filled in unless an alternative is provided. Each separate bid item must be bid on, unless the proposal form clearly indicates otherwise.
  - e. Each Bid must be submitted in a separate sealed envelope, marked to identify without opening, and in the hands of the Road Department Director at the time and place specified for bid opening.
  - f. A proposal containing modifications, deletions, exceptions or reservations which in any way conflict with or purport to alter any substantive provision contained in the bid documents, will not be considered.
  - g. A conditional bid will not be considered.
  - h. Any bid submitted without all of the pages of the bid documents shall be deemed to have been submitted with the missing pages for purposes of bid evaluation if, at a minimum, the completed pages identified above in (a) are included in the submission. The missing pages of the bid documents shall be deemed to be incorporated into bid by reference.
19. **Plans.** Plans are not to be taken or construed as being reproduced at precisely the indicated scale. Where the plans are photographic reductions of the original tracings, the approximate amount of reduction is indicated by a note on the plans.
20. **Specifications.** The specifications are the minimum acceptable specifications for the project for which proposals are sought. Any deviation



from the specifications contained herein, shall render the bid non-responsive.

21. **Examination of Site and Conditions.** Bidders are required, prior to submission of bids, to carefully examine the site and the Plans and Specifications of the contemplated work. Errors and omissions in the Plans or Specifications shall be called to the attention of the Agency prior to submission of bid so that addenda may be issued. Failure to do so on the part of the Contractor does not relieve him of responsibility for a correct and completely finished job. Only a written interpretation or correction by addendum shall be binding.

22. **Pre-Bid Inquiries.** Bidders with pre-bid inquiries shall contact Blaine Wruck, Transportation Engineer, in writing at:

Email: [blaine.wruck@deschutescounty.gov](mailto:blaine.wruck@deschutescounty.gov); or

Mailing Address: 61150 SE 27<sup>th</sup> Street, Bend, Oregon 97702.

Contracting Agency will not mail notice of Addenda, but will publish notice of any Addenda on Contracting Agency's Web site. Addenda may be downloaded off the Contracting Agency's Web site. Bidders should frequently check the Contracting Agency's Web site until closing, i.e., at least once weekly until the week of Closing and at least once daily the week of the Closing.

23. **Prequalification of Bidders.** Bidders shall be pre-qualified with the State of Oregon in accordance with ORS 279C.430 and Deschutes County Code 12.52.020. The prequalification class is as shown in the Invitation to Bid. Bidders shall be prequalified in the appropriate class of work at the time of bid opening. Bidders shall be licensed with the Construction Contractor's Board under OAR 137-049-0230. Contractors and subcontractors need not be licensed under ORS 468.710.

24. **Contract Award.** Deschutes County reserves the right to postpone award of the contract for fourteen (14) calendar days from the date of the bid opening, or until a final decision is made on a protest, whichever is later.

25. **Bidder Statement.** This Contract is subject to ORS 279C.800 to ORS 279C.870. Submission of a bid for the project shall constitute a statement that the bidder agrees to be bound by and will comply with provisions of 279C.838, 279C.840 or 40 U.S.C. 3141 to 3148. The successful bidder and subcontractors providing labor shall maintain a qualified drug-testing program for the duration of the Contract.

By submitting a bid for the project, the bidder certifies that the bidder has not discriminated and will not discriminate against any disadvantaged business enterprise, minority-owned business, women-owned business, emerging small business, or business that a service-disabled veteran owns, in obtaining any required subcontracts. Failure to do so shall be grounds for disqualification.

# BID PROPOSAL FORM

## SLURRY SEAL 2023

---

BIDDER NAME

---

CCB#

---

ADDRESS

CITY

STATE

ZIP CODE

---

CONTACT NAME

CONTACT PHONE NUMBER

CONTACT EMAIL ADDRESS

The undersigned, hereinafter called the Bidder, declares that the only persons or parties interested in this Proposal are those named herein; that this Proposal is, in all respects, fair and without fraud; and it is made without collusion with any official of Deschutes County, Oregon, hereinafter called County; and that the Proposal is made without any connection or collusion with any person making another proposal on this contract.

The Bidder further declares that Bidder has carefully examined the contract documents; that Bidder is satisfied as to the quantities involved, including materials and equipment, and conditions of work involved; and that this proposal is made according to the provisions and under the terms of the contract documents, which documents are hereby made a part of this Proposal.

The Bidder agrees that all of the applicable provisions of Oregon law relating to public contracts (ORS Chapter 279) are, by this reference, incorporated in and made a part of this Proposal.

The Bidder declares that (check appropriate box):

Bidder is a resident bidder of the State of Oregon.

Bidder is a nonresident bidder from the State of \_\_\_\_\_.

The Bidder declares that Bidder is not in violation of any tax laws of the State of Oregon and Deschutes County, including but not limited to those programs listed in ORS 305.380(4),

The Bidder further agrees that if this Proposal is accepted, Bidder will, within fifteen (15) calendar days after conveyance of the contract documents to the Bidder, execute the contract with the County in the form of contract annexed hereto; and will, at the time of execution of the contract, deliver to the County the Performance and Payment Bonds (See Section 13 Information for Bidders) required herein; and will, to the extent of this Proposal, furnish all materials necessary to complete the work in the manner, in the time, and according to the methods as specified in the contract documents and required by the Road Department Director.

The Bidder certifies that it has a drug testing program in place for its employees, or warrants that a drug testing program will be in place prior to execution of this contract, that the drug testing program is in writing, that new employees must pass a drug screening, that existing employees may be tested for reasonable cause or when an employee is injured or involved in an accident resulting in property

damage. The Bidder agrees that each subcontractor providing labor under this Contract shall maintain a qualifying drug testing program for the duration of the Contract.

The Bidder agrees to comply with the provisions of 279C.838, 279C.840 or 40 U.S.C. 3141 to 3148 ORS 279C.840.

The Bidder certifies that the Bidder has not discriminated and will not discriminate against any disadvantaged business enterprise, minority-owned business, women-owned business, emerging small business, or business that a service-disabled veteran owns, in obtaining any required subcontracts in accordance with ORS 279A.110(4).

The Bidder agrees to commence work upon the issuance of a "Notice to Proceed" by the County and fully complete the project according to the time schedule specially set forth in the contract documents.

The Bidder further agrees to pay liquidated damages for failure to complete within the specified time.

It is agreed that if the Bidder is awarded the contract for the work herein proposed and shall fail or refuse to execute the contract and furnish the contract and furnish the specified Performance and Payment Bond within fifteen (15) calendar days after the contract documents are sent or otherwise conveyed to the Bidder, then, in that event, the bid security deposited herewith according to the conditions of the Invitation to Bid and Information for Bidders shall be retained by the County as liquidated damages; and it is agreed that the said sum is a fair measure of the amount of damage the County will sustain in case the Bidder shall fail or refuse to enter into the contract for the said work and to furnish the Performance and Payment Bonds (See Section 13 Information for Bidders) as specified in the contract documents. Bid security in the form of a certified check shall be subject to the same requirements as a bond.

**(SIGNATURE PAGE TO FOLLOW)**

(IF SOLE PROPRIETOR OR PARTNERSHIP)

IN WITNESS HERETO, the undersigned has set hand this \_\_\_\_\_ day of \_\_\_\_\_, 2023.

\_\_\_\_\_  
SIGNATURE OF BIDDER

\_\_\_\_\_  
TITLE

(IF CORPORATION)

IN WITNESS WHEREOF, the undersigned corporation has caused this instrument to be executed and its seal affixed by its duly authorized officers this \_\_\_\_\_ day of \_\_\_\_\_, 2023.

\_\_\_\_\_  
NAME OF CORPORATION

By: \_\_\_\_\_

Title: \_\_\_\_\_

Attest: \_\_\_\_\_

**(SCHEDULE OF BID ITEMS TO FOLLOW)**

ITEM NO.	SPEC SECTION	ITEM	UNIT	QTY	UNIT PRICE	AMOUNT
001	00210	Mobilization	LS	1	\$ _____	\$ _____
002	00221	Temporary Work Zone Traffic Control, Complete	LS	1	\$ _____	\$ _____
003	00706	Slurry Seal, Type II, LM CQS-1H, Bend Maintenance Zone	SY	109,241	\$ _____	\$ _____
004	00706	Slurry Seal, Type II, LM CQS-1H, Redmond Maintenance Zone	SY	28,106	\$ _____	\$ _____
<b>TOTAL BID:</b>						_____

<b>FOR DESCHUTES COUNTY USE ONLY</b>	
ADD _____ % FOR NON-RESIDENT BIDDER	_____
TOTAL BID	_____

The Bidder acknowledges receipt of the following Addenda: (insert addenda numbers)

No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_ No.\_\_\_\_

# FIRST-TIER SUBCONTRACTOR DISCLOSURE FORM

Project Name: SLURRY SEAL 2023

Bid #: W66132

Bid Closing Date: May 17, 2023

Time: 2:00 P.M.

Name of Bidding Contractor: \_\_\_\_\_

This form must be submitted at the location specified in the Invitation to Bid on the advertised bid closing date and within two working hours (4:00 p.m.) after the advertised bid closing time.

List below the name of each subcontractor that will be furnishing labor or materials and that is required to be disclosed, the category of work that the subcontractor would be performing and the dollar value of the subcontract. Enter "NONE" if there are no subcontractors that need to be disclosed. (ATTACH ADDITIONAL SHEETS IF NEEDED).

	NAME	DOLLAR VALUE	CATEGORY OF WORK
1)	_____	\$ _____	_____
2)	_____	\$ _____	_____
3)	_____	\$ _____	_____
4)	_____	\$ _____	_____
5)	_____	\$ _____	_____
6)	_____	\$ _____	_____
7)	_____	\$ _____	_____
8)	_____	\$ _____	_____

Failure to submit this form by the disclosure deadline will result in a non-responsive bid. A non-responsive bid will not be considered for award.

Form submitted by

Bidder name: \_\_\_\_\_

Contact name: \_\_\_\_\_ Phone number: \_\_\_\_\_

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS, That \_\_\_\_\_

\_\_\_\_\_ ,

hereinafter called the Principal, and \_\_\_\_\_

\_\_\_\_\_ ,

a corporation duly organized under the laws of the State of \_\_\_\_\_ ,

having its principal place of business at \_\_\_\_\_

\_\_\_\_\_ , in the State of \_\_\_\_\_ ,

and authorized to do business in the State of Oregon, as Surety, are held and firmly bound unto the

County of Deschutes, hereinafter called the Obligee, in the penal sum of \_\_\_\_\_

\_\_\_\_\_ DOLLARS (\$ \_\_\_\_\_),

for the payment of which, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

The condition of this Bond is that, whereas, the Principal is submitting a bid proposal for the SLURRY SEAL 2023 project hereby made a part hereof;

NOW THEREFORE, if the said bid proposal submitted by the said principal be accepted, and the contract be awarded to said Principal, and if the said Principal shall execute the proposed contract and shall furnish the Performance and Payment Bond as required by the bidding and contract documents with the time fixed by said documents, then this obligation shall be void, otherwise to remain in full force and effect. Signed and sealed this \_\_\_\_ day of \_\_\_\_\_, 2023.

SURETY:

CONTRACTOR:

\_\_\_\_\_  
Name

\_\_\_\_\_  
Name

By: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

Title: \_\_\_\_\_

**CONTRACT**  
**FOR**  
**SLURRY SEAL 2023**

THIS CONTRACT is made and entered into, this \_\_\_\_\_ day of \_\_\_\_\_, 2023, by and between DESCHUTES COUNTY, a political subdivision of the State of Oregon, by and through its Board of County Commissioners, hereinafter called "County", and \_\_\_\_\_, an Oregon corporation, hereinafter called "Contractor."

WITNESSTH:

THAT the said Contractor, in consideration of the sums to be paid by the County in the manner and at the time herein provided, and in consideration of the other covenants and agreements herein contained, hereby agrees to perform and complete the work herein described and provided for and to furnish all necessary machinery, tools, apparatus, equipment, supplies, materials and labor and do all things in accordance with the applicable Plans, the applicable Standard Specifications, the Special Provisions and other required provisions bound herewith or incorporated therein, and in accordance with such alterations or modifications of the same as may be made by the County, and according to such directions as may from time to time be made or given by the Engineer under the authority and within the meaning and purpose of this Contract. This agreement shall be binding upon the heirs, executors, administrators, successors and assigns of the Contractor.

THAT the applicable Plans, the applicable Standard Specifications, the Special Provisions and other required provisions bound herewith or incorporated therein and the Schedule of Items bound herewith are hereby specifically referred to and by this reference made a part hereof, and shall by such reference have the same force and effect as though all of the same were fully written or inserted herein.

THAT the Contractor shall faithfully complete and perform all of the obligations of this Contract, and in particular, shall promptly, as due, make payment of all just debts, dues, demands and obligations incurred in the performance of said Contract; and shall not permit any lien or claim to be filed or prosecuted against the County, its agents or employees. It is expressly understood that the laws of the State of Oregon and the Ordinances of the County shall govern this Contract in all things.

THAT in consideration of the faithful performance of all of the obligations, general and special, herein set out, and in consideration of the faithful performance of the work as set forth in the Contract Documents in accordance with the directions and to the satisfaction of the Engineer, the County agrees to pay to the said Contractor the amount earned, as determined from the actual quantities of work performed, and taking into consideration any amounts that may be deductible and under the terms of the Contract, and to make such payments in the manner and at the times provided in the applicable provisions.

**(SIGNATURE PAGE TO FOLLOW)**



IN WITNESS WHEREOF, the parties hereto have subscribed their names and affixed their respective official seals as of the date first above written

**CONTRACTOR**

**BOARD OF COUNTY COMMISSIONERS  
OF DESCHUTES COUNTY, OREGON**

BY: \_\_\_\_\_

\_\_\_\_\_  
ANTHONY DEBONE, CHAIR

TITLE: \_\_\_\_\_

\_\_\_\_\_  
PATTI ADAIR, VICE CHAIR

DATE: \_\_\_\_\_

\_\_\_\_\_  
PHIL CHANG, COMMISSIONER

ATTEST:

\_\_\_\_\_  
RECORDING SECRETARY

APPROVED AS TO CONTENT:

\_\_\_\_\_  
ROAD DEPARTMENT DIRECTOR

APPROVED AS TO FORM:

\_\_\_\_\_  
COUNTY LEGAL COUNSEL

Bond # \_\_\_\_\_

**PERFORMANCE BOND**

KNOW ALL MEN BY THESE PRESENTS: that

\_\_\_\_\_  
(Name of Contractor)

\_\_\_\_\_  
(Address of Contractor)

a \_\_\_\_\_, hereinafter called  
(Corporation, Partnership, or Individual)

“Principal”, and \_\_\_\_\_  
(Name of Surety)

hereinafter called “Surety”, are held and firmly bound unto Deschutes County, Oregon

hereinafter called “Owner”, in the penal sum of \_\_\_\_\_

\_\_\_\_\_ Dollars, \$(\_\_\_\_\_)  
in lawful money of the United States, for the payment of which sum well and truly to be made,  
we bind ourselves, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a  
certain contract with the OWNER, dated the \_\_\_\_\_ day of \_\_\_\_\_, 2023, a copy of  
which is hereto attached and made a part hereof for the construction of:

**SLURRY SEAL 2023**

NOW THEREFORE, if Principal shall well, truly and faithfully perform its duties, all the  
undertakings, covenants, terms, conditions, and agreements of said contract during the original  
term thereof, and any extensions thereof which may be granted by Owner, with or without notice  
to Surety and during the **two year guaranty period**, and if Principal shall satisfy all claims and  
demands incurred under such contract, and shall fully indemnify and save harmless Owner from  
all costs and damages which is may suffer by reason of failure to do so, and shall reimburse  
and repay Owner all outlay and expense which Owner may incur in making good any default,  
then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED FURTHER, that Surety, for value received hereby stipulates and agrees that no  
change, extension of time, alteration or addition to the terms of the contract or to work to be  
performed thereunder or the specifications accompanying the same shall in any wise affect its  
obligation on this bond, and it does hereby waive notice of any such change, extension of time,  
alteration or addition to the terms of the contract or to the work or the specifications.

PROVIDED, FURTHER, that no final settlement between Owner and Principal shall abridge the  
right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed in two counterparts, each one of which shall be deemed an original, this the \_\_\_\_\_ day of \_\_\_\_\_ 2023.

(SEAL)

**PRINCIPAL:** \_\_\_\_\_

By \_\_\_\_\_  
Signature

\_\_\_\_\_  
Official Capacity

Attest: \_\_\_\_\_  
Corporation Secretary

(SEAL)

**SURETY:** \_\_\_\_\_

*[Add signatures for each surety if using multiple bonds]*

**BY ATTORNEY-IN-FACT:**  
*[Power-of-Attorney must accompany each surety bond]*

\_\_\_\_\_  
Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Address

\_\_\_\_\_  
City State Zip

\_\_\_\_\_  
Phone Fax

NOTE: Date of bond must not be prior to date of Contract.  
If Contractor is Partnership, all partners should execute bond.

Bond # \_\_\_\_\_

**PAYMENT BOND**

KNOW ALL MEN BY THESE PRESENTS: that

\_\_\_\_\_  
(Name of Contractor)

\_\_\_\_\_  
(Address of Contractor)

a \_\_\_\_\_, hereinafter called  
(Corporation, Partnership, or Individual)

“Principal”, and \_\_\_\_\_  
(Name of Surety)

hereinafter called “Surety”, are held and firmly bound unto Deschutes County, Oregon

hereinafter called “Owner”, in the penal sum of \_\_\_\_\_

\_\_\_\_\_ Dollars, \$(\_\_\_\_\_)  
in lawful money of the United States, for the payment of which sum well and truly to be made,  
we bind ourselves, successors, and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION is such that whereas, the Principal entered into a  
certain contract with the OWNER, dated the \_\_\_\_\_ day of \_\_\_\_\_, 2023, a copy of  
which is hereto attached and made a part hereof for the construction of:

**SLURRY SEAL 2023**

NOW, THEREFORE, if Principal shall promptly make payment to all persons, firms,  
subcontractors, and corporations furnishing materials for or performing labor in the prosecution  
of the work provided for in such contract, and any authorized or modification thereof, including  
all amounts due for materials, lubricants, oil, gasoline, coal and coke, repairs on machinery,  
equipment and tools, consumed or used in connection with the construction of such work, and  
all insurance premiums on said work, and for all labor, performed in such work whether by  
subcontractor or otherwise, then this obligation shall be void; otherwise to remain in full force  
and effect.

PROVIDED, FURTHER, that Surety for value received hereby stipulates and agrees that no  
change, extension of time, alteration or addition to the terms of the contract or to the work to be  
performed thereunder or the specifications accompanying the same shall in any wise affect its  
obligation on this bond, and it does hereby waive notice of any such change, extension of time,  
alteration or addition to the terms of the contract or to the work or to the specifications.

PROVIDED, FURTHER, that no final settlement between Owner and Principal shall abridge the  
right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument is executed in two counterparts, each one of which shall be deemed an original, this the \_\_\_\_\_ day of \_\_\_\_\_, 2023.

(SEAL)

**PRINCIPAL:** \_\_\_\_\_

By \_\_\_\_\_  
Signature

\_\_\_\_\_  
Official Capacity

Attest: \_\_\_\_\_  
Corporation Secretary

(SEAL)

**SURETY:** \_\_\_\_\_

*[Add signatures for each surety if using multiple bonds]*

**BY ATTORNEY-IN-FACT:**  
*[Power-of-Attorney must accompany each surety bond]*

\_\_\_\_\_  
Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Address

\_\_\_\_\_  
City State Zip

\_\_\_\_\_  
Phone Fax

NOTE: Date of bond must not be prior to date of Contract.  
If Contractor is Partnership, all partners should execute bond.

# SPECIAL PROVISIONS

**PROJECT: SLURRY SEAL 2023**

**PROJECT #: W66132**


**CONTRACTING AGENCY:**



**ROAD  
DEPARTMENT**

**61150 SE 27<sup>TH</sup> STREET  
BEND, OREGON 97702  
PHONE: (541) 388-6581  
FAX: (541) 388-2719  
WEB: [www.deschutes.org/road](http://www.deschutes.org/road)**

**PROFESSIONAL OF RECORD CERTIFICATION:**

<p>Seal w/signature</p>  <p>REGISTERED PROFESSIONAL ENGINEER 83448PE OREGON NOVEMBER 10, 2009 CODY C. SMITH RENEWS: JUNE 30, 2024</p>	<p>I certify the Special Provision Section(s) listed below are applicable to the design for the subject project. Modified Special Provisions were prepared by me or under my supervision.</p> <p>Sections <u>00210 through 00706</u></p>
---	--

**SPECIAL PROVISIONS**

**WORK TO BE DONE**

The work to be done under this contract consists of the following on the SLURRY SEAL 2023 project:

1. Install and maintain temporary traffic control.
2. Perform public outreach.
3. Construct latex-modified emulsified asphalt slurry seal wearing surface.
4. Perform additional and incidental work as called for by the specifications and plans.

**APPLICABLE SPECIFICATIONS**

The Specification that is applicable to the Work on this Project is the 2021 edition of the "Oregon Standard Specifications for Construction."

All number references in these Special Provisions shall be understood to refer to the Sections and subsections of the Standard Specifications and Supplemental Specifications bearing like numbers and to Sections and subsections contained in these Special Provisions in their entirety.

Copies of the Oregon Standard Specifications may be purchased or viewed online at

[http://www.oregon.gov/ODOT/Business/Pages/Standard\\_Specifications.aspx](http://www.oregon.gov/ODOT/Business/Pages/Standard_Specifications.aspx).

**APPLICABLE RULES**

The rules applicable to this contract are the Attorney General's Model Public Contract Rules, Chapter 137-046 and Chapter 137-049, as presently constituted and Deschutes County Code (DCC) Chapter 2.37. The provisions of DCC Chapter 2.37.150 are incorporated herein by reference. These provisions may be viewed at the following web address:

<http://www.co.deschutes.or.us/administration/page/deschutes-county-code>

**CONTRACT TIME**

The Contractor shall complete all Work to be done under the Contract not later than September 1, 2023.

**CLASS OF WORK**

The Class of Work for this Project is Asphalt Concrete Paving and Oiling.



**SECTION 00110 - ORGANIZATION, CONVENTIONS, ABBREVIATIONS AND DEFINITIONS**

Comply with Section 00110 of the Standard Specifications modified as follows:

**00110.20 Definitions** - Replace the definitions of the words and phrases list below with the following definitions :

**Agency** – County of Deschutes

**Bid Booklet** - The version that can be accessed and printed from the Deschutes County Bids and RFPs website, which contains the information identified in 00120.10.

**Engineer** - The Road Department Director of Deschutes County acting either directly or through his authorized representatives.

**SECTION 00120 - BIDDING REQUIREMENTS AND PROCEDURES**

Comply with Section 00120 of the Standard Specifications modified as follows:

**00120.00 Prequalification of Bidders** – Replace the last paragraph with the following:

Deschutes County Road Department will regularly evaluate the performance of Contractors on its projects for purposes of responding to reference checks, future prequalification and determinations of responsibility.

**00120.01 General Bidding Requirements** - Replace this subsection, except for the subsection number and title, with the following:

Bidders shall submit bids by paper.

The standard prequalification forms furnished by the ODOT Procurement Office shall be used by the bidder to file authorized signatures with Deschutes County Road Department. Signatures are of personnel authorized to submit Bids, modify Bids, or withdraw Bids.

**00120.05 Request for Plans, Special Provisions, and Bid Booklets** – Replace this subsection, except for the subsection number and title, with the following:

Bidders shall obtain solicitation documents from the Deschutes County Bids and RFPs website:

<https://www.deschutescounty.gov/rfps>

Each request shall include both the name of the person ordering or obtaining the Solicitation Documents, and the name of the Entity intending to use them. The Agency will add the name of the Entity intending to use the Solicitation Documents to the list of Holders of Bidding Plans. Bidders are cautioned that only Solicitation Documents obtained properly from the Deschutes County website may be used to submit Bids.

Only paper Bids will be accepted.

Copies of the Oregon Standard Specifications may be purchased or viewed online at

[http://www.oregon.gov/ODOT/Business/Pages/Standard\\_Specifications.aspx](http://www.oregon.gov/ODOT/Business/Pages/Standard_Specifications.aspx).

The Plans, which are applicable to the Work to be performed under the Contract, are bound herewithin.

**00120.10 Bid Booklet** – Replace this subsection, except for the subsection number and title, with the following:

The Bidding Documents Booklet may include, but is not limited to:

- Cover Page
- Index
- Invitation to Bid
- Information for Bidders
- Bid Proposal Form
- Schedule of Bid Items
- Subcontractor Disclosure Form
- Bid Guaranty Form
- Contract Form (for review only)
- Payment and Performance Bond Forms (for review only)

Depending on the Class of Project, other certificates or statements may be bound within the Bidding Documents Booklet. Plans, specifications, and other documents referred to in the Bidding Documents Booklet will be considered part of the Bid.

**00120.30 Changes to Plans, Specifications, or Quantities before Opening of Bids** –

Replace all instances of “ODOT eBIDS” with “Deschutes County Bids and RFPs”.

Replace the first paragraph with the following:

The Agency reserves the right to issue Addenda making changes or corrections to the Plans, Specifications, or quantities. The Agency will provide Addenda only by publishing them on the Agency's web site at:

<https://www.deschutescounty.gov/rfps>

Delete the last paragraph.

**00120.40(a) (2) Electronic Bids** – Delete this subsection.

**00120.40(c) (2) Electronic Bid Schedule Entries** – Delete this subsection.

**00120.40 (d) Bidder's Address and Signature Pages** – Replace this subsection, except for the subsection number and title, with the following:

Bidders shall include in the Bid the address to which all communication concerning the Bid and Contract should be sent. The Bid shall be signed by a duly authorized representative of the Bidder.

**00120.40(e) (2) Bid Guaranty with Electronic Bids** – Delete this subsection.

**00120.40(f) Disclosure of First-Tier Subcontractors** – Under the paragraph “The Subcontractor Disclosure Form may be submitted for a paper Bid...” replace the second bulleted item with the following:

- By removing it from the paper Bid Booklet, filling it out and submitting it separately to the Deschutes County Public Works Engineering and Construction Division at the address given in the Bid Booklet.

Delete the third bulleted item.

Delete the paragraph which begins “The Subcontractor Disclosure Form may be submitted for an electronic Bid either:”

Replace the paragraph that begins “Subcontractor Disclosure forms submitted by...” with the following:

Subcontractor Disclosure Forms submitted by any method will be considered late if not received by the Agency within two working hours of the time designated for receiving Bids.

**00120.45 Submittal of Bids** – Replace this subsection, except for the subsection number and title, with the following:

Bids shall be submitted in the manner and prior to the time listed in the Bidding Documents Booklet. Bids may be submitted by mail, parcel delivery service, or hand delivery. Bids submitted after the time set for receiving Bids will not be opened or considered. The Agency assumes no responsibility for the receipt and return of late Bids.

**00120.50 Submitting Bids for More than One Contract** – Delete this subsection.

**00120.60(a) Paper Bids** – Replace all references to “ODOT Procurement Office” with “Agency.”

Delete the third bullet point.

**00120.60(b) Electronic Bids** – Delete this subsection.

**00120.70 Rejection of Nonresponsive Bids** – Add the following bullet to the end of the bullet list:

- The Agency determines that any Pay Item is significantly unbalanced to the potential detriment of the Agency.

**00120.95 Opportunity for Cooperative Arrangement** – Delete this subsection.

## SECTION 00130 – AWARD AND EXECUTION

Comply with Section 00130 of the Standard Specifications modified as follows:

**00130.10 Award of Contract** – Replace the paragraph that begins “The Agency will provide Notice of Intent...” with the following:

The Agency will provide Notice of Intent to Award on the Agency’s website:

<https://www.deschutescounty.gov/rfps>

Delete the paragraph that begins “The Award will not be final until...”

**00130.15 Right to Protest Award** – Replace this subsection, except for the subsection number and title, with the following:

Adversely affected or aggrieved Bidders, limited to the three apparent lowest Bidders and any other Bidder directly in line for Contract Award, may submit to the Board of County Commissioners of Deschutes County a written protest of the Agency’s intent to Award within five working days following the Bid Opening. The protest shall specify the grounds upon which it is based.

The Agency will not consider late protests.

**00130.50 Execution of Contract and Bonds:**

**(a) By the Bidder** – In the sentence that begins “The successful Bidder...” replace “ODOT Procurement Office – Construction” with “Agency”.

**(b) By the Agency** – In the sentence that begins “Within 7 Calendar Days...” replace “7” with “21 (twenty-one)”.

## SECTION 00140 – SCOPE OF WORK

Comply with Section 00140 of the Standard Specifications.

## SECTION 00150 - CONTROL OF WORK

Comply with Section 00150 of the Standard Specifications modified as follows:

**00150.05 Cooperative Arrangements** – Replace this subsection, except for the subsection number and title, with the following:

Agency is not, by virtue of this Contract, a partner or joint venturer with Contractor in connection with activities carried out under this Contract, and shall have no obligation with respect to Contractor's debts or any other liabilities of each and every nature.

**00150.15(b) Agency Responsibilities** - Replace this subsection, except for the subsection number and title, with the following:

The Engineer will:

- Provide copies of plans and specifications.
- Evaluate grade for acceptance at each course of material.
- Perform measurements and calculations for pay quantities.
- Perform final "as constructed" measurements.

**00150.15(c) Contractor Responsibilities** – Replace this subsection, except for the subsection number and title, with the following:

The Contractor shall:

- Layout and set construction stakes and marks to establish the lines, grades, Slopes, Cross Sections and curve super-elevations for Roadwork to construct the Project as shown and specified, by means approved by the Engineer.
- Make calculations, field notes and survey drawings for the layout and control of work as are necessary to construct the Project as specified.
- Provide original or copies of notes, calculations and drawings as requested.
- Preserve survey monuments and control stations as governed by applicable law.
- Establish control stations as necessary to control the Project.
- Replace and augment control stations as necessary to control the Project.
- Remove and dispose of all flagging, lath, stakes and other temporary staking material after the Project is completed.
- Protect from damage or disturbance any Utility that remains within the area in which Work is being performed. Maintain and re-establish location marks according to OAR 952-001-0090(3)(a). Coordinate re-establishment of the location marks with the associated Utility.
- Determine the exact location before excavating within the tolerance zone according to OAR 952-001-0090(3)(c);
- In addition to the notification required in OAR 952-001-0090(6), notify the Engineer and the Utility as soon as the Contractor discovers any previously unknown Utility conflicts or issues. Contrary to the OAR, stop excavating until directed by the Engineer and allow the Utility a minimum of two weeks to relocate or resolve the previously unknown Utility issues.

**00150.50(c) Contractor Responsibilities** – Replace the bullet that begins "Protect from damage or disturbance any Utility that remains..." with the following bullet:

- Protect from damage or disturbance any Utility that remains within the area in which Work is being performed. Maintain and re-establish location marks according to OAR 952-001-0090(3)(a). Coordinate re-establishment of the location marks with the associated Utility;

Replace the bullet that begins "Determine the exact location before excavating within ..." with the following bullet:

- Determine the exact location before excavating within the tolerance zone according to OAR 952-001-0090(3)(c);

Replace the bullet that begins "In addition to the notification required in OAR 952-001-0090(5), notify the Engineer..." with the following bullet:

- In addition to the notification required in OAR 952-001-0090(6), notify the Engineer and the Utility as soon as the Contractor discovers any previously unknown Utility conflicts or issues. Contrary to the OAR, stop excavating until directed by the Engineer and allow the Utility a minimum of two weeks to relocate or resolve the previously unknown Utility issues; and

**00150.50(f) Utility Information:**

There are no anticipated conflicts with Utilities. The Contractor shall contact those Utilities having buried facilities and request that they locate and mark them for their protection prior to construction.

**SECTION 00160 – SOURCE OF MATERIALS**

Comply with Section 00160 of the Standard Specifications modified as follows:

**00160.30 Agency-Furnished Materials** – Add the following paragraph:

No Agency materials are being offered for use on this project. Contractor shall provide all required materials.

**00160.40 Agency-Furnished Sources**– Add the following paragraph:

No Agency sources are being offered for use on this project. Contractor shall provide all required materials.

**SECTION 00165 - QUALITY OF MATERIALS**

Comply with Section 00165 of the Standard Specifications modified as follows:

**00165.03 Testing by Agency** – Delete this subsection.

**00165.04 Costs of Testing** – Delete this subsection.

**00165.50(b)(1) Specification Materials** – Delete the second sentence.

**00165.10(a) Field-Tested Materials** – Add the following sentence to the end of this subsection:

This is a Type D project.

**SECTION 00170 – LEGAL RELATIONS AND RESPONSIBILITIES**

Comply with Section 00170 of the Standard Specifications modified as follows:

Add the following subsection:

**00170.09 Debt Limitation** - This Contract is expressly subject to the debt limitation of Oregon counties set forth in Article XI, Section 10, of the Oregon Constitution, and is contingent upon funds being appropriated therefore. Any provision herein which would conflict with law are deemed inoperative to that extent.

**00170.65(b-1) Minimum Wage Rates** – Replace the last two paragraphs in this subsection with the following:

The applicable prevailing wage rates for this project are the most recent version published by the Oregon Labor and Industries at the time the Project was initially advertised (January 5, 2023 Prevailing Wage Rates for Public Works Contracts with January 11, 2023 Amendments). The wage rates can be found at the following website:

[https://www.oregon.gov/boli/WHD/PWR/Pages/pwr\\_state.aspx](https://www.oregon.gov/boli/WHD/PWR/Pages/pwr_state.aspx)

**00170.70(a) Insurance Coverages** - Add the following to the end of this subsection:

The following insurance coverages and dollar amounts are required pursuant to this subsection:

<b>Insurance Coverages</b>	<b>Combined Single Limit per Occurrence</b>	<b>Annual Aggregate Limit</b>
Commercial General Liability	\$1,000,000	\$2,000,000
Commercial Automobile Liability	\$1,000,000	(aggregate limit not required)

**(d) Additional Insured** – Replace this subsection except for the subsection number and title with the following:

The liability insurance coverages of 00170.70(a) shall include an Additional Insured Endorsement specifying the “Deschutes County, and its respective officers, agents, employees, and volunteers and the Deschutes County Board of Commissioners” as Additional Insureds, but only with respect to the Contractor's activities to be performed under the Contract. Coverage shall be primary and non-contributory with any other insurance and self-insurance. The liability coverages of 00170.70(a) that are permitted by the Agency to be obtained by an appropriate Subcontractor shall include all of the foregoing as Additional Insureds and shall also include the Contractor and its officers and employees as Additional Insureds.

Additional Insured Endorsements on the Commercial General Liability shall be written on ISO Form CG 20 10 07 04, or equivalent, with respect to liability arising out of ongoing operations and ISO Form CG 20 37 07 04, or equivalent, with respect to liability arising out

of completed operations. Additional Insured Endorsements shall be submitted with the Certificate(s) of Insurance and must be acceptable to the Agency.

Add the following as Additional Insureds under the Contract:

- Deschutes County and its officers, agents, employees, and volunteers
- Deschutes County Board of Commissioners

**(g) Certificate(s) of Insurance** - Replace this subsection, except for the subsection number and title, with the following:

As evidence of the insurance coverages required by the Contract, the Contractor shall furnish Certificate(s) of Insurance to the Agency at the time(s) provided in 00130.50(a). As evidence of insurance coverages required by the Contract but permitted by the Agency under 00170.70(a) to be obtained by an appropriate Subcontractor, the Contractor shall furnish Certificate(s) of Insurance to the Agency for such coverages together with the Contractor's request under 00180.21 for approval of the subcontract with that Subcontractor. The Certificate(s) shall:

- List "Deschutes County and its officers, agents, employees, and volunteers and the Deschutes County Board of Commissioners" as a Certificate holder and as an endorsed Additional Insured;
- Include all required endorsements or copies of the applicable policy language effecting coverage required by the Contract;
- Specify that all liability insurance coverages shall be primary and non-contributory with any other insurance and self-insurance, with exception of Workers' Compensation;
- Include a list of all policies that fall under the Excess/Umbrella Insurance if Excess or Umbrella Insurance is used to meet the minimum insurance requirement.
- Be endorsed with a waiver of subrogation endorsement for Workers' Compensation, waiving the insured's right of subrogation against the Agency.

**00170.72 Indemnity/Hold Harmless** - Add the following paragraph and bullets to the end of this subsection:

Extend indemnity and hold harmless to the Agency and the following:

- Deschutes County and its officers, agents, and employees
- Deschutes County Board of Commissioners

## **SECTION 00180 – PROSECUTION AND PROGRESS**

Comply with Section 00180 of the Standard Specifications modified as follows:

**00180.40(b) On-Site Work** - Add the following paragraph to the end of the subsection:

Add the following subsection:



**00180.40(c) Specific Limitations** - Limitations of operations specified in these Special Provisions include, but are not limited to, the following:

<b>Limitations</b>	<b>Subsection</b>
Cooperation with Utilities .....	00150.50
On-Site Work .....	00180.40(b)
Contract Time .....	00180.50(h)
Lane Restrictions .....	00220.40(e)

Be aware of and subject to schedule limitations in the Standard Specifications that are not listed in this subsection.

**00180.41 Project Work Schedules** - After the paragraph that begins "One of the following Type..." add the following paragraph:

In addition to the "look ahead" Project Work schedule, a Type A schedule as detailed in the Standard Specifications is required on this Contract.

**00180.50(h) Contract Time** - The Contractor shall complete all Work to be done under the Contract not later than August 31, 2022.

### **SECTION 00190 – MEASUREMENT OF PAY QUANTITIES**

Comply with Section 00190 of the Standard Specifications.

### **SECTION 00195 - PAYMENT**

Comply with Section 00195 of the Standard Specifications modified as follows:

**00195.12(d) Steel Materials Pay Item Selection** - Add the following to this subsection:

No Pay Items under this Contract qualify for the steel escalation/de-escalation program for this Project.

**00195.50(b) Retainage** – Replace the first paragraph of this subsection with the following:

The amount to be retained from progress payments will be 5% of the value of Work accomplished, and will be retained in one of the forms specified in Subsection (c) below. No retainage will be withheld from Work performed as Force Account Work, escalation/de-escalation, bonuses, or other items decided by the Agency.

**00195.50(c-2) Cash, Alternate B (Retainage Surety Bond)** - Delete this subsection.

**00195.50(c-3) Bonds and Securities** – Delete this subsection.

**00195.50(d) Release of Retainage** – Replace this subsection with the following:

As the Work progresses, release of the amounts retained under (b) above will only be considered for Pay Items that have been satisfactorily completed. For purposes of this

Subsection, a Pay Item will be considered satisfactorily completed only if all of the Work for the Pay Item is complete and all contractual requirements pertaining to the Pay Item and Work have been satisfied. Work not included in a Pay Item, or which constitutes part of an uncompleted Pay Item, will not be regarded as satisfactorily completed Work for the purposes of this Subsection.

A determination of satisfactory completion of Pay Items or Work or release of retainage shall not be construed as acceptance or approval of the Work and shall not relieve the Contractor of responsibility for defective Materials or workmanship or for latent defects and warranty obligations.

The Contractor shall comply with all applicable legal requirements for withholding and releasing retainage and for prompt payments, including but not limited to those in ORS Chapters 279C and 701, and 49 CFR 26.29.

### **SECTION 00196 – PAYMENT FOR EXTRA WORK**

Comply with Section 00196 of the Standard Specifications.

### **SECTION 00197 – PAYMENT FOR FORCE ACCOUNT WORK**

Comply with Section 00197 of the Standard Specifications.

### **SECTION 00199 - DISAGREEMENTS, PROTESTS, AND CLAIMS**

Comply with Section 00199 of the Standard Specifications modified as follows:

**00199.40 Claim Decision; Review; Exhaustion of Administrative Remedies** – Replace the second and third paragraphs with the following:

If the Engineer denies the claim for additional compensation or a combination of additional compensation and Contract Time, in full or in part, according to 00199.40(a), the Contractor may request review of the denial. The disputed claim may then be resolved, in full or in part, at any of the three progressive steps of claim review procedure as set forth in (b) through (d) of this Subsection.

If the Engineer has denied a claim, in full or in part, for Contract Time only according to 00180.80, or has denied a claim, in full or in part, for correction of final compensation according to 00195.95, those disputed claims may then be resolved, in full or in part, at any of the three progressive steps of claim review procedure as specified in (b) through (d) of this Subsection.

Delete the fifth paragraph.

**00199.40(b-e)** - Replace these subsections in their entirety with the following:

**00199.40(b) Step 1: Board of Commissioners Review** – The Contractor shall request that the Engineer arrange for a hearing during a regularly scheduled Board of Commissioners

Meeting in order to present the denied or partially denied claim for formal review and discussion. The meeting will take place within 21 Calendar Days of the Agency's receipt of the request, or as otherwise agreed by the parties.

If the Board of Commissioners determines that the Contractor must furnish additional information or documentation to allow proper analysis of the claim, the Engineer will prepare a Board meeting agenda item for a second hearing within 14 Calendar Days, or as otherwise agreed by the parties, at which the Contractor shall present the requested information or documentation.

If the Contractor does not accept the Step 1 decision, the Contractor may, within 10 Calendar Days of receipt of the written decision, request in writing through the Engineer that the claim be advanced to Step 3 or 4 (see (c) and (d) below).

**00199(c) Step 2: Arbitration** - At this step, the claim will be resolved by binding arbitration before a single arbitrator according to the Construction Industry Arbitration Rules of the American Arbitration Association or such other arbitration service and rules as agreed by the parties.

Arbitration filing costs and any arbitrator's fees will be divided equally between the Agency and the Contractor.

**00199(d) Step 3: Litigation** – This step applies to appeals of arbitration awards issued in Step 2 at 00199.40(c) above, according to ORS 36.600 through ORS 36.740.

The Contractor must follow each step in order, and exhaust all available administrative remedies before resorting to litigation. Lawsuits must be properly filed in a court of competent jurisdiction within 6 months from the date of the final decision that exhausted the Contractor's available administrative remedies under this Section 00199.

The Contractor shall comply with 00170.00.

## **SECTION 00210 - MOBILIZATION**

Comply with Section 00210 of the Standard Specifications.

## **SECTION 00220 - ACCOMMODATIONS FOR PUBLIC TRAFFIC**

Comply with Section 00220 of the Standard Specifications modified as follows:

**00220.02(a) General Requirements** – Add the following bullets:

- When access cannot be maintained to driveways, schedule work and lane closures so that the distance from the entrance to the driveway and the nearest point for vehicular ingress and egress does not exceed 1/4 mile.

**00220.03(b) Closures** –

Add the following paragraphs to the second bullet:

Special written notices in the form of door hangers shall be distributed to affected residents and/or businesses in the vicinity of the Work Area(s). Door hangers shall specify the calendar dates and approximate times of street closures. The dates specified on the door hangers shall match the dates from the Agency-approved schedule. The Contractor shall submit a draft of the language on the notices to the Agency for approval prior to printing. Allow 1 business day for Agency review. Provide a local Central Oregon area or toll free phone number and an email address on all public notices to direct questions or concerns to the Contractor. The Contractor shall have staff available between 7:00 a.m. and 6:00 p.m. Work Days for the duration of the project to answer public questions at the phone number and email address provided.

In cases where the residents and businesses were notified of a street closure(s) for Slurry Seal, and the Slurry Seal was not performed per the date on the notice, the Contractor shall provide additional special written notice on the day of the delay notifying the residents and businesses of the delay; and then re-notify them of the new schedules. Re-notification shall comply with this section.

Add the following bullet:

- **Driveways**– A minimum of 14 calendar days before closing access to driveways. After receiving written approval, place “No Parking” signs identifying the date of the closure along the affected on affected driveway areas.

**00220.40(e-1) Closed Lanes** - Replace this subsection, except for the subsection number and title, with the following:

One or more Traffic Lanes may be closed when allowed, shown, or directed during the following periods of time except as indicated in 00220.40(e)(2):

- Daily, Monday through Friday between 7:00 a.m. and 6:00 p.m.

#### **SECTION 00221 - COMMON PROVISIONS FOR WORK ZONE TRAFFIC CONTROL**

Comply with Section 00221 of the Standard Specifications.

#### **SECTION 00222 – TEMPORARY TRAFFIC CONTROL SIGNS**

Comply with Section 00222 of the Standard Specifications.

#### **SECTION 00223 - WORK ZONE TRAFFIC CONTROL LABOR AND VEHICLES**

Comply with Section 00223 of the Standard Specifications.

#### **SECTION 00224 - TEMPORARY TRAFFIC CHANNELIZING DEVICES**

Comply with Section 00224 of the Standard Specifications.

**SECTION 00225 - TEMPORARY PAVEMENT MARKINGS**

Comply with Section 00225 of the Standard Specifications

**SECTION 00290 - ENVIRONMENTAL PROTECTION**

Comply with Section 00290 of the Standard Specifications modified as follows:

**00290.32 Noise Control** - Add the following bullet:

- All construction operations shall be performed between the hours of 7:00 a.m. and 6:00 p.m. on Monday through Friday unless otherwise approved by the Engineer.

**SECTION 00706 - EMULSIFIED ASPHALT SLURRY SEAL SURFACING**

Comply with Section 00706 of the Standard Specifications modified as follows:

**00706.00 Scope** - Replace this subsection, except for the subsection number and title, with the following:

This Work consists of applying one or more layers of slurry seal consisting of latex-modified Emulsified Asphalt, water, Aggregate, and additives on a prepared surface at the following locations, and/or as directed:

<b>BEND MAINTENANCE ZONE</b>					
<b>AREA 1: WOODSIDE RANCH</b>					
<b>ROAD NAME</b>	<b>BEGINNING</b>	<b>END</b>	<b>LENGTH, MILES</b>	<b>WIDTH, FEET</b>	<b>AREA, SQYD</b>
COVENTRY CIR	RIDGEVIEW DR	END	0.163	23	2199
HERITAGE AVE	TALL PINE AVE	WOODSIDE LOOP	0.190	24	2675
PINE VISTA DR	RIDGEVIEW DR E	END	0.064	23	864
RIDGEVIEW CT	RIDGEVIEW DR	END	0.050	22	645
RIDGEVIEW DR E	PINE VISTA DR	RIDGEVIEW PL	0.816	23	11009
RIDGEVIEW DR E	RIDGEVIEW PL	RIDGEVIEW DR W	0.133	23	1796
RIDGEVIEW DR W	WOODSIDE RD	WOODSIDE LOOP	0.094	24	1323
RIDGEVIEW DR W	WOODSIDE LOOP	RIDGEVIEW DR E	0.557	24	7843
RIDGEVIEW PL	RIDGEVIEW DR	END	0.067	23	904
RUSTICATE RD	WOODSIDE RD	END	0.206	24	2900
WINDY RIDGE RD	RIDGEVIEW DR	END	0.125	23	1687
WOODSIDE LOOP	RIDGEVIEW DR	PINE VISTA DR	0.843	24	11869
WOODSIDE NORTH DR	WOODSIDE RD	END	0.436	23	5883
WOODSIDE PL	WOODSIDE RD	END	0.084	23	1133
WOODSIDE RD	PINE VISTA DR	RIDGEVIEW DR	0.694	24	9772

<b>AREA 2: SHERWOOD ESTATES</b>					
<b>ROAD NAME</b>	<b>BEGINNING</b>	<b>END</b>	<b>LENGTH, MILES</b>	<b>WIDTH, FEET</b>	<b>AREA, SQYD</b>
BRIDLE LN	SADDLEBACK DR	GOLD SPUR WAY	0.570	24	8026
DOE LN	STAG DR	END	0.134	24	1887
FAWN LN	BUCK DR	END	0.150	24	2112
GOLD SPUR WAY	SADDLEBACK DR	END	0.604	24	8504
HAKAMORE DR	BRIDLE LN	END	0.160	24	2253
MARTINGALE CIR	BRIDLE LN	END	0.177	24	2492
PINE KNOLL CIR	SADDLEBACK DR	END	0.222	24	3126
SADDLEBACK DR	WEST DEAD END	JOHNSON MKT RD	0.303	24	4266
SADDLEBACK DR	JOHNSON MKT RD	END	0.371	24	5224
SADDLEBACK LN	SADDLEBACK DR	END	0.260	21	3203
SADDLEBACK PL	SADDLEBACK DR	END	0.159	24	2239
SILVERADO DR	SADDLEBACK DR	END	0.242	24	3407

<b>REDMOND MAINTENANCE ZONE</b>					
<b>AREA 3: HIDDEN VALLEY ESTATES</b>					
<b>ROAD NAME</b>	<b>BEGINNING</b>	<b>END</b>	<b>LENGTH, MILES</b>	<b>WIDTH, FEET</b>	<b>AREA, SQYD</b>
36TH ST NW	NW POPLAR AVE	NW QUINCE AVE	0.124	24	1746
37TH ST NW	NW OAK AVE	NW QUINCE AVE	0.210	24	2957
38TH ST NW	NW OAK AVE	NW NORSE AVE	0.200	24	2816
39TH ST NW	NW SPRUCE AVE	END	0.195	24	2746
NORSE DR NW	NW QUINCE AVE	NW SPRUCE AVE	0.252	24	3548
OAK AVE NW	NW 35TH ST	NW 38TH ST	0.211	24	2971
POPLAR AVE NW	NW 35TH ST	NW 38TH ST	0.213	24	3000
PROGRESS LN NW	NW NORSE DR	END	0.036	24	507
QUINCE AVE NW	NW 35TH ST	NW NORSE DR	0.208	24	2929
REDWOOD LN NW	NW NORSE DR	END	0.047	24	662
SPRUCE AVE NW	NW 35TH ST	END	0.300	24	4224

**00706.10 Emulsified Asphalt** – Replace this subsection with the following:

Furnish LM CQS-1h Latex-Modified Emulsified Asphalt meeting the following requirements:

<b>TEST ON EMULSION</b>	<b>TEST METHOD</b>	<b>LIMITS</b>
Viscosity at 77° F (25 °C), Saybolt-Furol,	AASHTO T 59	20-100 seconds
Sieve Test, % retained on No. 20 Sieve	AASHTO T 59	0.10 maximum
Particle charge, Electroplate	AASHTO T 59	POSITIVE
Residue by Distillation, % by Weight	AASHTO T 59	62% minimum
Settlement (Storage Stability), 24 hour	AASHTO T 59	1% maximum

<b>TEST ON RESIDUE</b>	<b>TEST METHOD</b>	<b>LIMITS</b>
Softening point (ring & ball)	AASHTO T 53	135°F minimum
Penetration at 77° F (25 °C)	AASHTO T 49	40 – 90 minimum
Ductility at 77° F (25 °C), inches	AASHTO T 51	15.7 minimum
Elastic Recovery	AASHTO T 240	25% minimum

**00706.11 Polymer Modified Emulsion** – Replace this subsection with the following:

**00706.11 Latex-Modified Emulsion** - Furnish LM-CQS-1h latex-modified emulsion. Blend the latex modifier with the base asphalt or asphalt emulsion, prior to loading at the manufacturing plant, at the minimum rate of 2.5 to 3 percent solids by weight of asphalt. Blending time shall be no longer than 20 minutes. The latex-modified emulsion shall be

compatible with the mix design developed for the conventional slurry seal. Each shipment of Latex-Modified Emulsified Asphalt shall be accompanied by a certificate of analysis or certificate of compliance from the manufacturer.

**00706.12 Aggregate** – Add the following to the end of this subsection:

Test gradation in accordance with AASHTO T 27 and AASHTO T 11. Provide aggregate meeting the following requirements:

TEST	TEST METHOD	LIMITS
Sand Equivalent	AASHTO T 176	60 minimum
Soundness by use of Sodium Sulfate	AASHTO T 104	15% maximum
Abrasion	AASHTO T 96	30% maximum

**00706.41(c) Crack Sealing** – Delete this subsection.

**00706.41(e) Street Equipment and Procedure** – Replace this subsection with the following:

Immediately prior to applying the slurry seal, clear the surface of all loose material, silt spots, vegetation, oil spots and other objectionable material. Sweeping or High Pressure Power Washing are acceptable methods. If water is used, allow cracks to dry thoroughly before slurry sealing. The Engineer will approve the surface preparation prior to sealing.

**00706.43 Application Rate** – Replace the last paragraph and table with the following:

The slurry seal mixture shall be of the proper consistency at all times so as to provide the application rate required by the surface condition. Application rates are determined by the weight of dry aggregate. The average application rate shall be in accordance with the following table:

AGGREGATE TYPE	RECOMMENDED USE	APPLICATION RATE
TYPE I	Parking Area, Urban and Residential Streets, Airport Runways	8 – 12 lb/yd <sup>2</sup>
TYPE II	Urban and Residential Streets, Airport Runways	14 – 18 lb/yd <sup>2</sup>
TYPE III	Primary and Interstate Routes	18 – 24 lb/yd <sup>2</sup>

Add the following paragraphs to the end of this section:

Determine the actual application rates through means approved by the Engineer. The application rate should be continually monitored during production. Failure to demonstrate proper rate of application will result in suspension of the work until the Contractor can demonstrate otherwise, at no additional cost to the Agency.

Furnish a report to the Engineer demonstrating the average application rate for each work shift, by the end of the following work shift.



**00706.45 Joints** – Add the following paragraph to the end of this subsection:

All starts and stops at intersections, and handwork on turnouts shall be performed using roofing felt to ensure sharp, uniform joints and edges. Overlaps shall not be located in the wheel paths and shall not exceed 3 inches in width. Transverse joints shall be smooth and not create noticeably poor ride quality conditions. Any bumps, washboarding or other irregularities resulting from poor workmanship shall be corrected at no additional cost to the Agency.

**00706.47 Curing** – Add the following paragraph to the end of this subsection:

The slurry seal surface shall be cured and opened to traffic by 5:00 p.m. The contractor shall cease applying slurry seal early enough to provide adequate time, but no later than 2:30 p.m. each work day, for the slurry seal to sufficiently cure, based on weather and temperature conditions, to allow vehicular traffic on the sealed surfaces without damage to the surface or tracking.

**00706.48 Rolling** - Delete this subsection.

**00706.51 Provisions for Traffic** – Replace the first paragraph with the following:

Notify all affected property owners and tenants along the streets and side streets according to the approved schedule, or an approved revision of the schedule, 48 hours prior to the specific work.

**00706.80 Measurement** - Replace the first sentence with the following:

No measurement will be made for crack sealing.

Add the following paragraph to the end of this subsection:


The areas shown in 00706.00 are approximations. The Contractor shall be responsible for the measurement of the areas covered. In the event that there is a discrepancy between the quantities shown in 00706.00 and the actual quantities measured, the burden of proof shall fall to the Contractor.

**00706.90 Payment** – Replace the list of pay items with the following:

<b>Pay Item</b>	<b>Unit of Measure</b>
Slurry Seal, Type II, LM CQS-1h, _____	Square Yard


The corresponding Maintenance Zone will be inserted into the blank.

####











Oregon State Parks, State of Oregon GEO, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, Bureau of Land Management, EPA, NPS, USDA, Sources: Esri, USGS, NOAA




Slurry Seal Roads	State Highway	<b>SLURRY SEAL 2023</b>	 May 2023	 <b>ROAD DEPARTMENT</b>
Area 1: Woodside Ranch	Road Centerlines			
Area 2: Saddleback	City Limits	Bend and Redmond Maintenance Zones		ArcGIS_Projects\Chipseal\Summer 2023\SlurrySeal
Area 3: Hidden Valley	Deschutes County Limits			




Esri Community Maps Contributors, Oregon State Parks, State of Oregon  
 GEO, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA,  
 USGS, Bureau of Land Management, EPA, NPS, US Census Bureau, USDA,  
 Sources: Esri, USGS, NOAA

<ul style="list-style-type: none"> <li> Slurry Seal Road</li> <li> Deschutes County Road</li> <li> Road Centerlines</li> <li> City Limits</li> </ul>	<p><b>AREA 1:</b>  <b>WOODSIDE RANCH</b></p> <p>Bend Maintenance Zone</p> <p>0      Feet      1,800</p> 	<p>N</p>  <p>May 2023</p>	 <p><b>ROAD DEPARTMENT</b></p> <p><i>ArcGIS_Projects\Chipseal\Summer 2023\SlurrySeal</i></p>
--	---	--	---






<ul style="list-style-type: none"> <li><span style="display: inline-block; width: 20px; height: 10px; background-color: yellow; border: 1px solid black; margin-right: 5px;"></span> Slurry Seal Road</li> <li><span style="display: inline-block; width: 20px; border-bottom: 2px solid grey; margin-right: 5px;"></span> Deschutes County Road</li> <li><span style="display: inline-block; width: 20px; border-bottom: 1px solid grey; margin-right: 5px;"></span> Road Centerlines</li> <li><span style="display: inline-block; width: 20px; border-bottom: 2px dashed brown; margin-right: 5px;"></span> City Limits</li> </ul>	<p><b>AREA 2:</b> <b>SADDLEBACK</b></p> <p>Bend Maintenance Zone</p>	<p>N</p>  <p>May 2023</p>	 <p><b>ROAD DEPARTMENT</b></p>
	<p>0      Feet      1,360</p> 		






Esri, Community Maps Contributors, Oregon State Parks, State of Oregon  
 GEO, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph,  
 GeoTechnologies, Inc, METI/NASA, USGS, Bureau of Land Management,  
 EPA, NPS, US Census Bureau, USDA, Sources: Esri, USGS, NOAA

	Slurry Seal Road
	Deschutes County Road
	Road Centerlines
	City Limits

**AREA 3:**  
**HIDDEN VALLEY**

Redmond Maintenance Zone

0      Feet      840



N



May 2023



**ROAD  
DEPARTMENT**

ArcGIS\_Projects\Chipseal\Summer 2023\SlurrySeal